

KLEENCO PRODUCTS, INC.
• P.O. BOX 1786 • Bellevue, WA. 98009

TELEPHONE NUMBER

Reg. Phone 206-641-8888

For Emergency Assitance Call Infotrac (800) 535-5053

HAZARD RATING

- 4 = EXTREME
- 3 = HIGH 2 = MODERATE
- 1 = SLIGHT
- 0 = INSIGNIFICANT *= SEE SECTION IV

FIRE
0 REACTIVITY
$\langle 2 \times 0 \rangle$
CITY
SPECIAL

MATERIAL SAFETY DATA SHEFT

	IVI/	TEININE SIN			/ \ \	JIILLI		
PRODUCT NAME			DA.	TE ISSUED	04	-27-93	CODE	DOT HAZARD
BRIGHTEN-UP 2			PR	EPARED BY		ale R. Silbaugh	022-0245	Corrosive NA-1760
FORMULA Proprietary CHEMICAL NAMES AND OR SYNONYMS Compound Cleaning Liquid								
I - COMPOSITIONAL INFORMATION/SARA III INFORMATION								
INGREDIENTS		CAS NUMBER		UPATION EX			VAPOR PRESSURE mm Hg @ TEMP	WEIGHT PERCENT
* Hydrofluoric Acid 70% 7664-39-3 * Sulfuric Acid 7664-39-3			3 PPM 3 PPM None 1 MG/M3 1 MG/M3 1 MG/M3				130.0 68°F 17.0% Not Applicable 10.0%	
*Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Tittle III and 40 CFR 342. NOTE: The precise composition of this mixture is proprietary. A more complete description will be provided to a physician in the event of a medical emergency.								
II - PHYSICAL PROPERTY INFORMATION								
APPEARANCE and ODOR Slightly viscous, clear liquid								
MELTING POINT	BOILIN	IG POINT	COATING V.O.C.			EVAPORATION RATE		
Not Applicable					Applica		Not Applicable	
SOLUBILITY IN WATER Complete	LUBILITY IN WATER SPECIFIC GRAVITY (Water = 1) omplete 1.1				NSIT'			
Complete 1.1 Not Applicable III - FIRE AND EXPLOSION HAZARD INFORMATION								
FLASH POINT		IGNITION TEMPERATU				ION LIMIT (%)	UPPER EXPLO	SION LIMIT (%)
Not Applicable Not Applicable				Not Applicable Not Applicable				
EXTINGUISHING MEDIA			!					
X FOAM X CO ₂ X DRY CHEMICAL X WATER SPRAY OTHER								
SPECIAL FIRE FIGHTING PROCEDURES For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment. This may include self-contained breathing apparatus to protect against the hazardous effects of normal products of combustion or oxygen deficiency. Read the entire MSDS.								
UNUSUAL FIRE AND EXPLOSION HAZARDS Extinguish all nearby sources of ignition since flammable hydrogen gas will be liberated from contact with some metals.								
IV - HEALTH HAZARD INFORMATION								
THRESHOLD LIMIT VALUE ROUTE Not Established OF ENT		X INHALATION See Health Hazards	:	X SKIN	Health	Hazards	X INGESTION See Health Ha	zards
Not Established OF ENTRY: See Health Hazards See Health Hazards See Health Hazards USee Health Hazards See Health H								
CARCINOGENICITY: Not considered to be a carcinogen NTP IARC Monographs X OSHA Regulated								
SIGNS AND SYMPTOMS OF EXPOSURE INHALATION: Vapors and mists are extremely corrosive to the nose, throat, and mucous membranes. Bronchitis, pulmonary edema, and chemical pneumonitis may occur. Irritation, coughing, chest pain, and difficulty in breathing may occur with brief exposure while prolonged exposure may result in more severe irritation and tissue damage. SKIN CONTACT: Vapors, mists, and liquid are extremely corrosive to the skin. Vapors will severely irritate the skin and liquid and mists will severely burn the skin. Prolonged liquid contact will burn or destroy surrounding tissue. Solutions as dilute as 2% or less of Hydrofluoric acid may cause burns. SWALLOWED: Vapors, mists, and liquid are extremely corrosive to the mouth and throat. Swallowing the liquid burns the tissues, causes severe abdominal pain, nausea, vomiting, and collapse. Swallowing large quantities can cause death.								
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE Persons with pre-existing dermatitis may be more susceptible to the effects of this material.								
EMERGENCY AND FIRST AID PROCED upper lids. Get medical attention immediately. Cor skin with water. If this chemical penetrates the clot amounts of this chemical, move the exposed persoattention as soon as possible. INGESTION: If this	ntact lense hing, imm on to fresh	es should not be worn when wo nediately remove the clothing ar air at once. If breathing has stop	rking with t nd flush the pped, perfo	this chemical. S e skin with wate orm mouth-to-m	KIN: If r. Get n nouth re	this chemical contact nedical attention pron	s the skin, immediately flus nptly. INHALATION: If a pe	sh the contaminated erson breathes large

V - REACTIVITY INFORMATION					
X STABLE UNSTABLE CONDITIONS TO AVOID Excessive heat and contamination of any kind.					
HAZARDOUS DECOMPOSITION PRODUCTS May liberate HF.					
HAZARDOUS MAY WILL NOT CONDITIONS TO AVOID POLYMERZATION OCCUR X OCCUR Not Applicable					
INCOMPATIBILITY (Materials to avoid) Strong alkalies at high temperatures, strong acids and strong oxidizers					
VI - SPILL OR LEAK PROCEDURE INFORMATION					
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Stop the source of leak or release. Clean up releases as soon as possible, observing precautions is Special Protective Information. Contain liquid to prevent further contamination of soil, surface water or groundwater. Clean up small spills using appropriate techniques such as sorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Follow prescribed procedures for reporting and responding to larger releases.					
WASTE DISPOSAL METHODS Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations. Contact local environmental authorities for approved disposal of this material.					
VII - SPECIAL PROTECTION INFORMATION					
VENTILATION TYPE Local mechanical exhaust ventilation, capable of maintaining emissions at the point of use below the PEL.					
RESPIRATORY PROTECTION Wear a NIOSH-Approved respirator, appropriate for the concentration of vapor or mist encountered at the point of use.					
PROTECTIVE GLOVES Impervious EYE PROTECTION Wear eye protection to prevent any possibility of eye contact.					
OTHER PROTECTIVE EQUIPMENT Wear appropriate equipment to prevent any possibility of skin contact.					
VIII - STORAGE AND HANDLING INFORMATION					
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Keep out of reach of children. Store in a cool dry place away from incompatible materials. Keep container tightly closed when not in use. Workers should wash immediately when skin becomes contaminated. Remove clothing immediately if it is non-impervious clothing that becomes contaminated. The following equipment should be available: Eyewash, quick drench. It is generally recognized that contact lenses should not be worn when working with chemicals because contact lenses may contribute to the severity of the injury.					
OTHER PRECAUTIONS Read and follow label instructions. The label contains information necessary for the proper use of the product. Containers, even those that have been					
emptied, will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full. Prohibit smoking, flames and sparks near HF storage areas.					
IX - TOXICITY INFORMATION					
*HEALTH HAZARDS for Sulfuric Acid: INHALATION: Vapors and mists are extremely corrosive to the nose, throat, and mucous membranes. Bronchitis, pulmonary edema, and chemical pneumonitis may occur. Irritation, coughing, chest pain, and difficulty in breathing may occur with brief exposure while prolonged exposure may result in more severe irritation and tissue damage. Breathing high concentrations may result in death. EYE CONTACT: Vapors, liquid and mists are extremely corrosive to the eyes. Brief contact of the vapors will be severely irritating. Brief contact of the liquid or mists will severely damage the eyes and prolonged contact may cause permanent eye injury which may be followed by blindness. SKIN CONTACT: Vapors, mists, and liquid are extremely corrosive to the skin. Vapors will severely burn the skin. Prolonged liquid contact will burn or destroy surrounding tissue and death may accompany burns which extend over large portions of the body. SWALLOWED: Vapors, mists, and liquid are extremely corrosive to the mouth and throat. Swallowing the liquid burns the tissues, causes severe abdominal pain, nausea, vomiting, and collapse. Swallowing large quantities can cause death. CHRONIC EFFECTS OF EXPOSURE: May cause erosion of the teeth, lesions on the skin, bronchial irritation, coughing, and pneumonia. MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Acute and chronic respiratory diseases.					
X - MISCELLANEOUS INFORMATION					
Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and the removal of the material from eyes, skin and clothing.					
PRODUCT CODE NA = NOT AVAILABLE DATE OF ISSUE SUPERSEDES SIGNED					
D22-0245 04-27-93 Any Previous MSDS The information contained herein is based on data considered accurate. However no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained.					

The information contained nerein is based on data considered accurate. However no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained thereof. They are offered solely for your consideration, investigation, and verification. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State and Local laws and regulations. KLEENCO PRODUCTS, INCORPORATED and its Distributors assume no responsibility for personal injury or property damage to vendees, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.