

P.O. BOX 1786
 Bellevue, WA. 98009

TELEPHONE NUMBER Reg. Phone 206-641-8888 For Emergency Assistance

= HIGH = MODERATE = SLIGHT Call Infotrac (800) 535-5053

= EXTREME

HAZARD

0 = INSIGNIFICANT = SEE SECTION IV

RATING

FIRE
0 REACTIVITY
$\langle 0 \times 0 \rangle$
ITY
SPECIAL

## MATERIAI PRODUCT NAME DATE ISSUED 07-18-95 DOT HAZARD KLEEN-LANE RTU PREPARED BY Not Regulated Dale R. Silbaugh 008-0072 FORMULA CHEMICAL NAMES AND OR SYNONYMS Compound Cleaning Liquid Proprietary COMPOSITIONAL INFORMATION Ш INFORMATION **EXPOSURE** APOR PRESSURE mm Hg @ TEMP WEIGHT PERCENT OCCUPATION LIMITS VAPOR CAS NUMBER **INGREDIENTS** OSHA PEL ACGIH TLV OTHER No toxic chemical(s) subject to the reporting requirements of section 313 of Tittle III and 40 CFR 342. NOTE: The precise composition of this mixture is proprietary. A more complete description will be provided to a physician in the event of a medical emergency. PHYSICAL PROPERTY INFORMATION APPEARANCE and ODOR Water thin, clear red liquid. MELTING POINT BOILING POINT COATING V.O.C **EVAPORATION RATE** Not Applicable 340° to 2530°F. Not Applicable Slower than ether SOLUBILITY IN WATER SPECIFIC GRAVITY (Water = 1) VAPOR DENSITY 1.0 Not Applicable Complete Ш **FIRE** AND EXPLOSION HAZARD INFORMATION FLASH POINT AUTO IGNITION TEMPERATURE LOWER EXPLOSION LIMIT (%) UPPER EXPLOSION LIMIT (%) Not Applicable Not Available Not Applicable Not Applicable EXTINGUISHING MEDIA Χ Χ Χ **FOAM** C O<sub>2</sub> DRY CHEMICAL WATER SPRAY OTHER SPECIAL FIRE FIGHTING PROCEDURES For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment. This may include self-contained breathing apparatus to protect against the hazardous effects of normal products of combustion or oxygen deficiency. Read the entire MSDS. UNUSUAL FIRE AND EXPLOSION HAZARDS None known HEALTH **HAZARD** INFORMATION IV THRESHOLD LIMIT VALUE ROUTE(s) INHALATION SKIN INGESTION Χ OF ENTRY: Not Established See Health Hazards See Health Hazards See Health Hazards HEALTH HAZARDS (Acute and Chronic) CHRONIC EFFECTS OF EXPOSURE: None known \*See Section IX. CARCINOGENICITY: NTP OSHA Regulated IARC Monographs Not considered to be a carcinogen SIGNS AND SYMPTOMS OF EXPOSURE INHALATION: Vapors and mist can cause the following: - headache - nausea - irritation of nose, throat, and lungs. EYE CONTACT: Direct contact with the material may irritate the eyes. SKIN CONTACT: Prolonged or repeated contact may irritate the skin. MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE None Known

EMERGENCY AND FIRST AID PROCEDURES EYES: If this chemical contacts the eyes, promptly wash the eyes with large amounts of water, occasionally lifting the lower and upper lids. Get medical attention if any discomfort continues. Contact lenses should not be worn when working with this chemical. SKIN: If this chemical contacts the skin, flush the contaminated skin with water. Where there is evidence of skin irritation, get medical attention. INHALATION: If a person breathes large amounts of this chemical, move the exposed person to fresh air at once. Other measures are usually unnecessary. INGESTION: If this chemical has been swallowed, get medical attention immediately.

V - REACTIVITY INFORMATION
X STABLE UNSTABLE CONDITIONS TO AVOID None
HAZARDOUS DECOMPOSITION PRODUCTS Mayliberate carbon monoxide or carbon dioxide.
HAZARDOUS MAY WILL NOT CONDITIONS TO AVOID POLYMERIZATION OCCUR X OCCUR Heat, sparks and open flame.
INCOMPATIBILITY (Materials to avoid) Acids, oxidizing materials.
VI - SPILL OR LEAK PROCEDURE INFORMATION
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Stop the source of leak or release. Clean up releases as soon as possible, observing precautions in Special Protective Information. Contain liquid to prevent further contamination of soil, surface water or groundwater. Clean up small spills using appropriate techniques such as sorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Follow prescribed procedures for reporting and responding to larger releases.
WASTE DISPOSAL METHODS Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations. Contact local environmental authorities for approved disposal of this material.
VII - SPECIAL PROTECTION INFORMATION
VENTILATION TYPE Local mechanical exhaust ventilation, capable of maintaining emissions at the point of use below the PEL.
RESPIRATORY PROTECTION Wear a NIOSH-Approved respirator, appropriate for the concentration of vapor or mist encountered at the point of use.
PROTECTIVE GLOVES Impervious EYE PROTECTION Wear eye protection to prevent any reasonable probability of eye contact.
OTHER PROTECTIVE EQUIPMENT Wear appropriate equipment to prevent any repeated or prolonged skin contact.
VIII - STORAGE AND HANDLING INFORMATION
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Keep out of reach of children. Store in a cool dry place away from incompatible materials. Keep container tightly closed when not in use. Workers should wash promptly when skin becomes wet. The following equipment should be available: Eyewash. It is generally recognized that contact lenses should not be worn when working with chemicals because contact lenses may contribute to the severity of the injury.
tightly closed when not in use. Workers should wash promptly when skin becomes wet. The following equipment should be available: Evewash, It is generally recognized that contact lenses
tightly closed when not in use. Workers should wash promptly when skin becomes wet. The following equipment should be available: Eyewash. It is generally recognized that contact lenses should not be worn when working with chemicals because contact lenses may contribute to the severity of the injury.  OTHER PRECAUTIONS  Read and follow label instructions. The label contains information necessary for the proper use of the product. Containers, even those that have been emptied,
tightly closed when not in use. Workers should wash promptly when skin becomes wet. The following equipment should be available: Eyewash. It is generally recognized that contact lenses should not be worn when working with chemicals because contact lenses may contribute to the severity of the injury.  OTHER PRECAUTIONS  Read and follow label instructions. The label contains information necessary for the proper use of the product. Containers, even those that have been emptied, will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full.
tightly closed when not in use. Workers should wash promptly when skin becomes wet. The following equipment should be available: Eyewash. It is generally recognized that contact lenses should not be worn when working with chemicals because contact lenses may contribute to the severity of the injury.  OTHER PRECAUTIONS  Read and follow label instructions. The label contains information necessary for the proper use of the product. Containers, even those that have been emptied, will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full.  'HEALTH HAZARDS for Propylene Glycoln-Butyl Ether. INHALATION: Excessive exposure may cause irritation to upper respiratory tract. A single prolonged (hours) excessive inhalation exposure may cause adverse effects. Signs and symptoms of excessive exposure may be central nervous system effects. EYE CONTACT: May cause moderate eye irritation. May cause moderate corneal injury. SKIN CONTACT: Prolonged or repeated exposure may cause skin irritation. SKIN ABSORPTION: A single prolonged exposure may result in the material being absorbed in harmful amounts. The LD50 for skin absorption in rabbits is 1400 mg/kg. The liquid is reported to cause a burning sensation and itchiness at site of contact. Exposure to large amounts may produce anesthetic or narcotic effects. INGESTION: Single dose oral toxicity is low. The oral LD50 for rats is 3300 mg/kg. Small amounts swallowed incidental to normal handling operations are not likely to cause injury; swallowing amounts larger than that may cause injury. SYSTEMIC (OTHER TARGET ORAGE). EFFECTS: Observations in animals include only increase liver size following repeated exposure. TERATOLOGY (BIRTH DEFECTS): Birth defects are unlikely. Exposures having no adverse effects on the mother should have no effect on the fetus. REPRODUCTIVE EFFECTS: In animal studies.
tightly closed when not in use. Workers should wash promptly when skin becomes wet. The following equipment should be available: Eyewash. It is generally recognized that contact lenses should not be worn when working with chemicals because contact lenses may contribute to the severity of the injury.  OTHER PRECAUTIONS  Read and follow label instructions. The label contains information necessary for the proper use of the product. Containers, even those that have been emptied, will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full.  IX - TOXICITY INFORMATION  "HEALTHHAZARDS for Propylene Glycoln-Butyl Ether. INHALATION: Excessive exposure may cause irritation to upper respiratory tract. A single prolonged (hours) excessive inhalation exposure may cause adverse effects. Signs and symptoms of excessive exposure may be central nervous system effects. EYE CONTACT: May cause moderate eye irritation. May cause moderate corneal injury. SKIN CONTACT: Prolonged or repeated exposure may cause skin irritation. SKIN ABSORPTION: A single prolonged exposure may result in the material being absorbed in harmful amounts. The LD50 for skin absorption in rabbits is 1400 mg/kg. The liquid is reported to cause a burning sensation and litchiness at site of contact. Exposure to large amounts may produce anesthetic or narcotic effects. INGESTION: Single dose oral toxicity is low. The oral LD50 for rates is 3300 mg/kg. Small amounts swallowed incidental to normal handling operations are not likely to cause injury. SYSTEMIC (OTHER TARGET ORGAN) EFFECTS: Observations in animals include only increase liver size following repeated exposure. TERATOLOGY (BIRTH DEFECTS): Birth defects are unlikely. Exposures having no adverse effects on the mother should have no effect on the fetus. REPRODUCTIVE EFFECTS: In animal studies, has been shown not to interfere with reproduction. MUTAGENICITY (EFFECTS ON GENETIC MATERIAL): Results of in vitro ('test tube') mutagenicity tests have been negat
tightly closed when not in use. Workers should wash promptly when skin becomes wet. The following equipment should be available: Eyewash. It is generally recognized that contact lenses should not be worn when working with chemicals because contact lenses may contribute to the severity of the injury.  OTHER PRECAUTIONS  Read and follow label instructions. The label contains information necessary for the proper use of the product. Containers, even those that have been emptiled, will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full.  IX - TOXICITY INFORMATION  "HEALTHHAZARDS for Propylene Glycoln-Butyl Ether. INHALATION: Excessive exposure may cause irritation to upper respiratory tract. A single prolonged (hours) excessive inhalation exposure may cause adverse effects. Signs and symptoms of excessive exposure may be central nervous system effects. EYE CONTACT: May cause moderate eye irritation. May cause moderate corneal injury. SkiN CONTACT: Prolonged or repeated exposure may result in the material being absorbed in harmful amounts. The LDSiO for shales of the contact. Exposure to large amounts may produce an esthetic or narcotic effects. INGES TION: Single dose or altoxicity is low. The oral LDSiO for rate is 3300 mg/kg, Small amounts swallowed incidental to normal handling operations are not likely to cause injury. SWETEMIC (OTHER ETRAGET ORAN) EFFECTS: Observations in an infinal include only increase liver size following repeated exposure. TEXADLOGY (BIRTHDEFECTS): Birth defects are unlikely. Exposures having no adverse effects on the mother should have no effect on the feuts. REPRODUCTIVE EFFECTS: In animal studies, has been shown not to interfere with reproduction. MUTAGENICITY (EFFECTS ON GENETIC MATERIAL): Results of invitro (Test tube') mutagenicity tests have been negative.  X - MISCELLANEOUS INFORMATION
ightly closed when not in use. Workers should wash promptly when skin becomes wet. The following equipment should be available: Eyewash. It is generally recognized that contact lenses should not be worn when working with chemicals because contact lenses may contribute to the severity of the injury.  OTHER PRECAUTIONS  Read and follow label instructions. The label contains information necessary for the proper use of the product. Containers, even those that have been emptied, will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full.  IX - TOXICITY INFORMATION  *HEALTHHAZARDS for Propylene Glycol n-Butyl Ether. INHALATION: Excessive exposure may cause irritation to upper respiratory tract. A single prolonged (hours) excessive inhalation exposure may cause adverse effects. Signs and symptoms of excessive exposure may be central nervous system effects. EYE CONTACT: May cause moderate eye irritation. May cause moderate corneal injury. SKIN CONTACT: Prolonged or repeated exposure may cause skin irritation. SKIN ABSORPTION: A single prolonged exposure may result in the material being absorbed in harmful amounts. The LD50 for skin absorption in rabbits is 1400 mg/kg. The liquid is reported to cause a burning sensation and litchiness at sitle of contact. Exposure to large amounts may produce anesthetic or narcotic effects. INCESTION: Single dose or all toxicity is low. The oral LD50 for ratis is 3300 mg/kg. Small amounts swallowed incidental to normal handling operations are not likely to cause injury, swallowing amounts larger than that may cause injury. SYSTEMIC (OTHER TARGET ORGAN) EFFECTS: Observations in animals include only increase liver size following repeated exposure. TERATOLOGY (BIRTHDEFECTS): Birthdefects are unlikely. Exposures having no adverse effects on the mother should have no effect on the fetus. REPRODUCTIVE EFFECTS: In animal studies, has been shown not to interfere with reproduction. MUTAGENICITY (EFFECTS ON GENETIC MATERIAL): Results of in