

KLEENCO PRODUCTS, INC.
• P.O. BOX 1786 • Bellevue, WA. 98009

TELEPHONE NUMBER
Reg. Phone
206-641-8888
For Emergency Assitance

Call Infotrac (800) 535-5053

HAZARD RATING

4 = EXTREME
3 = HIGH
2 = MODERATE
1 = SLIGHT
0 = INSIGNIFICANT
* = SEE SECTION IV

FIRE

4 REACTIVITY

5 PECIAL

MATERIAL SAFETY DATA SHEET

PRODUCT NAME			DATE	ISSUED	04-21-93	(CODE	DOT HAZARD	
LS8 SOFT-N-SOUR			PREP	ARED BY	Dale R. Silbaugh		026-0173	Not Regulated	
FORMULA Proprietary	(CHEMICAL NAMES AND OR SYNONYMS			Powdered Cleaning Co	mpoun		regulated	
I-COMPOSITIONAL INFORMATION/SARA III INFORMATION									
INGREDIENTS		CAS NUMBER	OCCUPA	OCCUPATION EXPOUSURE LIMITS OSHA PEL ACGIH TLV OTHER			VAPOR PRESSURE WEIGHT mm Hq @ TEMP PERCENT		
Sodium Silicofluoride		16893-85-9 2.5 m					Hazard Toxic		
No toylo obemical(a) subject to the constitue requirements of costian 212 of Tittle III and 40 CED 242, NOT									
No toxic chemical(s) subject to the reporting requirements of section 313 of Tittle III and 40 CFR 342. NOTE : The precise composition of this mixture is proprietary. A more complete description will be provided to a physician in the event of a medical emergency.									
II-PHYSICAL PROPERTY INFORMATION									
APPEARANCE and ODOR Whitecrystallinesolid									
MELTING POINT	BOILING POINT		COATING V.O.C.				EVAPORATION RATE		
Not Applicable SOLUBILITY IN WATER	SPECIF	Not Applicable FIC GRAVITY (Water = 1)	Not Applicable VAPOR DENSITY				Slower than ether		
Moderate		1.3	Not Applicable						
III-FIRE AND EXPLOSION HAZARD INFORMATION									
FLASH POINT	AUTO	IGNITION TEMPERATURE	LOWER EXPLOSION LIMIT (%))	UPPER EXPLOSION LIMIT (%)		
>200°F. (PMCC) EXTINGUISHING MEDIA		Not Available	0.125 oz./ft3				Not Available		
X FOAM X CO2 X DRY CHEMICAL X WATER SPRAY OTHER									
SPECIAL FIRE FIGHTING PROCEDURES For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment. This may include self-contained breathing apparatus to protect against the hazardous effects of normal products of combustion or oxygen deficiency. Read the entire MSDS.									
UNUSUAL FIRE AND EXPLOSION HAZARDS Do not use water to fight a nearby fire since in the presence of water this product will react with some metals to liberate hydrogen,									
a flammable gas.									
IV-HEALTH HAZARD INFORMATION									
THRESHOLD LIMIT VALUE ROUTE Not Established OF ENT		X INHALATION See Health Hazards		X SKIN See H	ealth Hazards		X INGESTION See Health Ha	zards	
HEALTH HAZARDS (Acute and Chronic) CHRONICEFFECTS OF EXPOSURE: No specific information available.									
CARCINOGENICITY: Not considered to be a carcinogen	NTP	IARC N	Monogra	phs	X OSHA Regu	lated			
SIGNS AND SYMPTOMS OF EXPOSURE INHALATION: Breathing dust may irritate the nose and throat and cause coughing and chest discomfort. Inhalation of dust may also cause pulmonary irritation and death. EYE CONTACT: Dusts will irritate the eyes and prolonged contact may damage the eyes. SKIN CONTACT: Prolonged or repeated contact with the dust will irritate the skin especially if moisture or perspiration is present. SWALLOWING: This product is poisonous if swallowed and may cause death.									
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE None reported.									
EMERGENCY AND FIRST AID PROCE minutes, occasionally lifting the lower and upper the skin, immediately wash skin with lots of soa INHALATION: If a person breathes this chemical warm and at rest. Get immediate medical attent	o and wa	iter. Remove contaminated clothii	ing and sh	ioes: wash b	etore reuse. It irritatio	n persis	sts after washing, get	medical attention.	

V-REACTIVITY INFORMATION								
CONDITIONS TO AVOID Keep containers dry at all times.								
X STABLE ONSTABLE								
HAZARDOUS DECOMPOSITION PRODUCTS May liberate hydrogen gas from contact with some metals. May also liberate hydrogen fluoride or silicon tertrafluoride.								
HAZARDOUS MAY WILL NOT CONDITIONS TO AVOID POLYMERZATION OCCUR X OCCUR Notapplicable.								
INCOMPATIBILITY (Materials to avoid) Acids, cyanides, strong oxidizing agents and active metals such as aluminum.								
VI CDILLODI FAV DDOCEDUDE INFODMATION								
VI-SPILL OR LEAK PROCEDURE INFORMATION								
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Stop the source of leak or release. Clean up releases as soon as possible, observing precautions in Special Protective Information. Contain to prevent further contamination of soil, surface water or groundwater. Clean up small spills using appropriate techniques such as sorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Follow prescribed procedures for reporting and responding to larger releases.								
WASTE DISPOSAL METHODS Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations. Contact local environmental authorities for approved disposal of this material.								
VII-SPECIAL PROTECTION INFORMATION								
VENTILATION TYPE Local mechanical exhaust ventilation, capable of maintaining emissions at the point of use below the PEL.								
RESPIRATORY PROTECTION If use conditions generate dusts, wear a NIOSH-approved respirator appropriate for those emission levels. Appropriate respirators may be a full facepiece or a half mask air-purifying cartridge respirator with particulate filters, a self-contained breathing apparatus in the pressure demand mode, or a supplied-air respirator.								
PROTECTIVE GLOVES Impervious EYE PROTECTION Wear eye protection to prevent any possibility of eye contact.								
OTHER PROTECTIVE EQUIPMENT Wear appropriate equipment to prevent any possibility of skin contact.								
VIII - STORAGE AND HANDLING INFORMATION								
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Keep out of reach of children. Store in a cool dry place away from incompatible materials. Keep container tightly closed when not in use. Workers should wash immediately when skin becomes contaminated and at the end of each work shift. The following equipment should be available: Eyewash. Quick drench. It is generally recognized that contact lenses should not be worn when working with chemicals because contact lenses may contribute to the severity of the injury.								
OTHER PRECAUTIONS Read and follow label instructions. The label contains information necessary for the proper use of the product. Containers, even those that have been emptied, will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full.								
IX-TOXICITY INFORMATION								
Sodium Silicofluoride is toxic. Oral toxicity								
X-MISCELLANEOUS INFORMATION								
Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and the removal of the material from eyes, skin and clothing.								
PRODUCT CODE NA = NOT AVAILABLE DATE OF ISSUE SUPERSEDES SIGNED 026-0173 Any previous MSDS								
The information contained herein is based on data considered accurate. However no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained								

The information contained herein is based on data considered accurate. However no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained thereof. They are offered solely for your consideration, investigation, and verification. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State and Local laws and regulations. KLEENCO PRODUCTS, INCORPORATED and its Distributors assume no responsibility for personal injury or property damage to vendees, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.