FOR QUALITY, VALUE AND PE KLEENCO PRODUCTS, IN • P.O. BOX 1786 • Bellevue, WA	ER FORMANCE	TELEPHONE Reg. Pho 206-641-8 For Emergency all Infotrac (800)	888 Assistance	HAZARD RATING 4 = EXTREME 3 = HIGH 2 = MODERATE 1 = SLIGHT 0 = INSIGNIFICANT * = SEE SECTION 1		REACTIVITY 0 SPECIAL
MATER	RIAL S	SAFET	Υ [DATA S	SHEET	
PRODUCT NAME			DATE ISSUED	0 07-14-95	CODE	DOT HAZARD
		LEMON WILD-CHERRY	PREPARED B	Y Dale R. Silbaugh	010-0455 010-0452 010-0453 010-0455 000000000000000000000000000000000	Not Regulated
FORMULA Proprietary	CHEMICAL	NAMES AND OR	SYNONYMS	Compound Cleaning Liquid		
I - COMPOSITIONAL INFORMATION/SARA III INFORMATION						
INGREDIENTS	CAS N	IUMBER C	OCCUPATION E SHA PEL AC	EXPOSURE LIMITS GIH TLV OTHER	VAPOR PRESSURE mm Hg @ TEMP	WEIGHT PERCENT
No toxic chemical(s) subject to the reporting requ will be provided to a physician in the event of a n	irements of section 313 o	f Tittle III and 40 CFR 342	2. NOTE: The pre	cise composition of this mixtur	re is proprietary. A more c	complete description
	- PHYSIC	AL PROP	ERTY	INFORMATIO	N	
APPEARANCE and ODOR						
Water thin liquid with characteristic odor and col MELTING POINT	BOILING POINT		COATING	V.O.C.	EVAPORATION	I RATE
NotApplicable	Not Appl			t Applicable	Slower th	anether
SOLUBILITY IN WATER Complete	SPECIFIC GRAVIT 1.0	Y (Water = 1)	VAPOR D No	ENSTLY tApplicable		
III - FIRE AND EXPLOSION HAZARD INFORMATION						
FLASH POINT	AUTO IGNITION		LOWER EX			SION LIMIT (%)
NotApplicable EXTINGUISHING MEDIA	NotAppl	ICADIE	NO	tApplicable	Not Applie	cable
X FOAM X CO2 X DRY CHEMICAL X WATER SPRAY OTHER						
SPECIAL FIRE FIGHTING PROCEDURES For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment. This may include self-contained breathing apparatus to protect against the hazardous effects of normal products of combustion or oxygen deficiency. Read the entire MSDS.						
UNUSUAL FIRE AND EXPLOSION HAZARDS None Known						
IV - HEALTH HAZARD INFORMATION						
THRESHOLD LIMIT VALUE ROUTE NotEstablished OF EN	· · · /	LATION Health Hazards	X SKIN See	e Health Hazards	X INGESTION See Health Ha	zards
HEALTH HAZARDS (Acute and Chronic	CHRONIC EFFEC	TS OF EXPOSURE: Nor	ne Known.			
CARCINOGENICITY: Not considered to be a carcinogen	NTP	IARC Mor	nographs	X OSHA Regulated	d	
SIGNS AND SYMPTOMS OF EXPOSURE INHALATION: Breathing concentrated vapors may cause respiratory irritation. EYE CONTACT: Direct contact with the material may irritate the eyes. SKIN CONTACT: Prolonged or repeated contact may irritate the skin, causing dermatitis.						
	· · · · · · · · · · · · · · · · · · ·					
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE						
None known.						
EMERGENCY AND FIRST AID PROCEDURES EYES: If this chemical contacts the eyes, immediately wash the eyes with large amounts of water, occasionally lifting the lower and upper lids. Get medical attention immediately. Contact lenses should not be worn when working with this chemical. SKIN: If this chemical contacts the skin, flush the contaminated skin with water promptly. If this chemical penetrates the clothing, immediately remove the clothing and flush the skin with water promptly. If irritation persists after washing, get medical attention. INHALATION: If a person breathes large amounts of this chemical, move the exposed person to fresh air at once. Other measures are usually unnecessary. INGESTION: If this chemical has been swallowed, get medical attention immediately.						

	V - REACTIVITY INFORMATION				
X STABLE UNSTABLE	CONDITIONS TO AVOID None				
HAZARDOUS DECOMPOSITION PRODUCTS Mayliberate carbon monoxide or carbon dioxide.					
	VILL NOT CONDITIONS TO AVOID DCCUR Heat, sparks and open flame.				
INCOMPATIBILITY (Materials to avoid) Strong oxidizers, aluminum, acetaldehyde, chlorine, ethylene oxide, hydrogen-palladium combination, hypochlorous acid, isocyanates, nitroform, phosgene, oleum, perchloric acid, potassium T-Butoxide, acids, alkalis, amines, halogens, halogen compounds, anhydrides, and aldehydes.					
VI - SP	ILL OR LEAK PROCEDURE INFORMATION				
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Stop the source of leak or release. Clean up releases as soon as possible, observing precautions in Special Protective Information. Contain liquid to prevent further contamination of soil, surface water or groundwater. Clean up small spills using appropriate techniques such as sorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Follow prescribed procedures for reporting and responding to larger releases.					
WASTE DISPOSAL METHODS Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations. Contact local environmental authorities for approved disposal of this material.					
VII -	SPECIAL PROTECTION INFORMATION				
VENTILATION TYPE Local mechanical ex	chaust ventilation, capable of maintaining emissions at the point of use below the PEL.				
RESPIRATORY PROTECTION Wear a	NIOSH-Approved respirator, appropriate for the concentration of vapor or mist encountered at the point of use.				
PROTECTIVE GLOVES Impervious	EYE PROTECTION Wear eye protection to prevent any reasonable probability of eye contact.				
OTHER PROTECTIVE EQUIPMENT Wear appropriate equipment to prevent any repeated or prolonged skin contact.					
VIII - S	STORAGE AND HANDLING INFORMATION				
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Keep out of reach of children. Store in a cool dry place away from incompatible materials. Keep container tightly closed when not in use. Workers should wash promptly when skin becomes wet. Remove clothing immediately if it becomes wet (to avoid flammability hazard). It is generally recognized that contact lenses should not be worn when working with chemicals because contact lenses may contribute to the severity of the injury.					
OTHER PRECAUTIONS will retain product residue and vapors. Always obey	label instructions. The label contains information necessary for the proper use of the product. Containers, even those that have been emptied, hazard warnings and handle empty containers as if they were full.				
	IX - TOXICITY INFORMATION				
of the respiratory tract, headache and if continued, d	ompounds Benzyl-C12-18-Alkyl Dimethyl - Ethanol: INHALATION: High concentrations (>1000 PPM) of Ethanol vapor can cause irritation rowsiness, lassitude, etc. EYE CONTACT: Liquid causes severe irritation and may cause permanent damage. Concentration >1000 PPM ONTACT: Can cause severe irritation, even burns, on prolonged contact. SWALLOWED: Toxic. Results in severe damage to mucous				
X - MISCELLANEOUS INFORMATION					
Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and the removal of the material from eyes, skin and clothing.					
PRODUCT CODE (010)-0455,0453,0452, 0454 NA = NOT AVAIL/	ABLE DATE OF ISSUE SUPERSEDES SIGNED				
The information contained herein is based on data considered accurate. However no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained thereof. They are offered solely for your consideration, investigation, and verification. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State and Local laws and regulations. KLEENCO PRODUCTS, INCORPORATED and its Distributors assume no responsibility for personal injury or property damage to vendees, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.					
PAGE 2 - (010)-0455,0453,0452,0454					