

KLEENCO PRODUCTS, INC.
• P.O. BOX 1786 • Bellevue, WA. 98009

TELEPHONE NUMBER Reg. Phone 206-641-8888

For Emergency Assistance Call Infotrac (800) 535-5053 1 = SLIGHT 0 = INSIGNIFICANT \star = SEE SECTION IV

HAZARD RATING	FIRE
4 = EXTREME	0 AREACTIVITY
3 = HIGH	
2 = MODERATE	(
1 = SLIGHT 0 = INSIGNIFICANT	ITV
0 = INSIGNIFICANT	''' ×
* = SEE SECTION IV	SPECIAL

MATER	ΙΑΙ	SAFE	ΞΤ	' [TAC	Α :	SHEET		
PRODUCT NAME	_		DA	TE ISSUED	07-19-	95	CODE	DOT HAZARD	
SHOWCOTE DELETI	_		PR	EPARED B	Y Dale R.	Silbaugh	014-0268	Not Regulated	
FORMULA Proprietary CHEMICAL NAMES AND				O OR SYNONYMS Compound Cleaning Liquid					
I - COMPOS	SITIC	NAL INFORI	MAT	ION/S	ARA	III IN	FORMATIO	N	
INGREDIENTS	INGREDIENTS CAS NUMBER		OCCUPATION EXPOSURE LIMITS OSHA PEL ACGIH TLV OTHER				VAPOR PRESSURE WEIGHT mm Hg @ TEMP PERCENT		
No toxic chemical(s) subject to the reporting requi will be provided to a physician in the event of a m	edical en	ergency.		<u> </u>	·			omplete description	
	- P	HYSICAL PR	OPE	RTY	INFO	RMATIO	N		
APPEARANCE and ODOR Water thin, red liquid.									
MELTING POINT NotApplicable SOLUBILITY IN WATER Complete	BOILING POINT licable LITY IN WATER BOILING POINT 468° to 642°F. SPECIFIC GRAVITY (Water =			COATING V.O.C. NotApplicable VAPOR DENSITY NotApplicable				VAPORATION RATE Slower than ether	
III - FIRE AND EXPLOSION HAZARD INFORMATION									
FLASH POINT	AUTO	IGNITION TEMPERATU	RE	LOWER EX	(PLOSION	LIMIT (%)	UPPER EXPLO	SION LIMIT (%)	
240°F. (PMCC)		Not Available		3.0)		23.5		
EXTINGUISHING MEDIA X FOAM X CO2 X DRY CHEMICAL X WATER SPRAY OTHER									
SPECIAL FIRE FIGHTING PROCEDUR self-contained breathing apparatus to protect ag	ES For ainst the h	fires involving this material, do r azardous effects of normal pro	not enter a	any enclosed combustion or	or confined fir oxygen defic	e space without po ciency. Read the e	roper protective equipme entire MSDS.	nt. This may include	
UNUSUAL FIRE AND EXPLOSION HAZARDS None known.									
IV - HEALTH HAZARD INFORMATION									
THRESHOLD LIMIT VALUE ROUTE NotEstablished OF ENT	RY:	X INHALATION See Health Hazards			e Health Haza	ards	X INGESTION See Health Ha	zards	
HEALTH HAZARDS (Acute and Chronic)	CHR	ONIC EFFECTS OF EXPOSUF	RE: None	known*SeeS	section IX.				
CARCINOGENICITY: Not considered to be a carcinogen	NTP	IARC	Mono	graphs	X OS	SHA Regulated	d		
SIGNS AND SYMPTOMS OF EXPOSURE INHALATION: Vapors and mist can cause the following: - headache - nausea - irritation of nose, throat, and lungs. EYE CONTACT: Direct contact with the material may irritate the eyes. SKIN CONTACT: Prolonged or repeated contact may irritate the skin.									
MEDICAL CONDITIONS GENERALLY	GGRAV	ATED BY EXPOSURE	None K	nown.					
EMERGENCY AND FIRST AID PROCE upper lids. Get medical attention if any discomfort skin with water. Where there is evidence of skin i once. Other measures are usually unnecessary.	ritation, c	et medical attention. INHALA I	HON: If a	person breath	es large amo	ounts of this chem	nts of water, occasionally nical contacts the skin, flu ical, move the exposed p	lifting the lower and sh the contaminated person to fresh air at	

V - REACTIVITY INFORMATION
X STABLE UNSTABLE CONDITIONS TO AVOID None
HAZARDOUS DECOMPOSITION PRODUCTS Mayliberate carbon monoxide or carbon dioxide.
HAZARDOUS MAY WILL NOT CONDITIONS TO AVOID POLYMERIZATION OCCUR X OCCUR Heat, sparks and open flame.
INCOMPATIBILITY (Materials to avoid) Acids, oxidizing materials.
VI - SPILL OR LEAK PROCEDURE INFORMATION
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Stop the source of leak or release. Clean up releases as soon as possible, observing precautions in Special Protective Information. Contain liquid to prevent further contamination of soil, surface water or groundwater. Clean up small spills using appropriate techniques such as sorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Follow prescribed procedures for reporting and responding to larger releases.
WASTE DISPOSAL METHODS Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations. Contact local environmental authorities for approved disposal of this material.
VII - SPECIAL PROTECTION INFORMATION
VENTILATION TYPE Local mechanical exhaust ventilation, capable of maintaining emissions at the point of use below the PEL.
RESPIRATORY PROTECTION Wear a NIOSH-Approved respirator, appropriate for the concentration of vapor or mist encountered at the point of use.
PROTECTIVE GLOVES Impervious EYE PROTECTION Wear eye protection to prevent any reasonable probability of eye contact.
OTHER PROTECTIVE EQUIPMENT Wear appropriate equipment to prevent any repeated or prolonged skin contact.
VIII - STORAGE AND HANDLING INFORMATION
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Keep out of reach of children. Store in a cool dry place away from incompatible materials. Keep container tightly closed when not in use. Workers should wash promptly when skin becomes wet. The following equipment should be available: Eyewash. It is generally recognized that contact lenses should not be worn when working with chemicals because contact lenses may contribute to the severity of the injury.
OTHER PRECAUTIONS Read and follow label instructions. The label contains information necessary for the proper use of the product. Containers, even those that have been emptied, will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full.
IX - TOXICITY INFORMATION
*HEALTH HAZARDS for Propylene Glycol n-Butyl Ether. INHALATION: Excessive exposure may cause irritation to upper respiratory tract. A single prolonged (hours) excessive inhalation exposure may cause adverse effects. Signs and symptoms of excessive exposure may be central nervous system effects. EYE CONTACT: May cause moderate eye irritation. May cause moderate corneal injury. SKIN CONTACT: Prolonged or repeated exposure may cause skin irritation. SKIN ABSORPTION: A single prolonged exposure may result in the material being absorbed in harmful amounts. The LD50 for skin absorption in rabbits is 1400 mg/kg. The liquid is reported to cause a burning sensation and itchiness at site of contact. Exposure to large amounts may produce anesthetic or narcotic effects. INGESTION: Single dose oral toxicity is low. The oral LD50 for rats is 3300 mg/kg. Small amounts swallowed incidental to normal handling operations are not likely to cause injury; swallowing amounts larger than that may cause injury. SYSTEMIC (OTHER TARGET ORGAN) EFFECTS: Observations in animals include only increase liver size following repeated exposure. TERATOLOGY (BIRTH DEFECTS): Birth defects are unlikely. Exposures having no adverse effects on the mother should have no effect on the fetus. REPRODUCTIVE EFFECTS: In animal studies, has been shown not to interfere with reproduction. MUTAGENICITY (EFFECTS ON GENETIC MATERIAL): Results of in vitro ('test tube') mutagenicity tests have been negative.
X - MISCELLANEOUS INFORMATION
Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and the removal of the material from eyes, skin and clothing.
PRODUCT CODE NA = NOT AVAILABLE DATE OF ISSUE SUPERSEDES SIGNED 014-0268
The information contained herein is based on data considered accurate. However no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained

the information contained neteril is based on data considered accurate. However no warranty is expressed of implied regarding the accuracy of these data on the results to be obtained thereof. They are offered solely for your consideration, investigation, and verification. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State and Local laws and regulations. KLEENCO PRODUCTS, INCORPORATED and its Distributors assume no responsibility for personal injury or property damage to vendees, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.